



TECHOLTM LUBRICANTS


Quality Is Our Strength



**PRODUCT
CATALOGUE**



**AUTOMOTIVE
LUBRICANTS**



www.jas-anz.org/register



International Accreditation
Forum

AN ISO 9001-2015 CERTIFICATIONS



TECHOL LUBRICANTS & SPECIALTIES PVT. LTD. (TLSPL) avail this valuable opportunity to introduce ourselves as one of the accredited Manufacturers of Automotive, Industrial and Specialty Oil under our registered brand name **“TECHOL”**

ABOUT US

TLSPL is an established company with manufacturing and blending unit with a well established quality management system for our lubricant production. We are into this business from almost 2 decades. We started this business in a small way but with dedication, sincerity and quality persistence. We have been able to achieve all the goals as set by the company.

At TLSPL, oil is blended from selected high quality base oil imported additives to Manufacture world class lubricants.

We have developed wide range of optimum Performance lubricants & greases for both the Automotive & Industrial sector.

Our Directors have an ideology of maintaining Quality & Customer satisfaction.

Our moto is to provide customers with best quality products at a reasonable Price, because **“QUALITY IS OUR STRENGTH”** and our strategy revolves around that.

VISION

To be a major diversified Lubricants Company capable of providing complete solution to customer requirement and strive to be their choice through commitment to our principles and values.

MISSION

To achieve excellence in all aspects of business with focus on customer delight. To attain market leadership by developing, adopting and assimilating state of the art technology for competitive advantage. To cultivate high standards of business ethics and quality standards in all our action for a strong corporate identity and brand equity. To help and preserve ecological balance by being conscious of environmental Requirements.

VALUE

We believe in building long term relationship with our customers by gaining the Trust through innovative products and services that give a differential value supported by an emotional link to our **TECHOL** brand.

We will be pleased to send technical specifications if it is required for any our products.

DIESEL ENGINE OIL



PREMIUM TURBO -X 15W40

API-CI4+

PREMIUM TURBO -X 15W40 series are Extra premium quality diesel engine oils formulated using high performance additives and superior quality base stocks to impart necessary properties important for lubricants to perform in heavy-duty diesel engines on or off-highway.

APPLICATIONS:

- Recommended for use in heavy construction & mining equipments.
- Recommended for use in engines, transmissions, differentials, hydraulics, & compressors requiring the use of high quality engine oil.
- Recommended for heavy duty commercial vehicles with turbo & non-turbo charged engines.

BENEFITS:

- Offers advanced fuel economy capability that reduces fuel consumption.
- Excellent wear performance provides highest level of protection against harmful engine wear.
- Its advanced additive technology provides enhanced level of protection against contamination and reduces maintenance cost.
- Excellent chemical stability offers longer drain period.



Packing Available : 1L, 3L, 5L, 6L, 7.5L, 10L, 15L, 20L, 50L, 210L



Packing Available : 1L, 3L, 5L, 6L, 7.5L, 10L, 15L, 20L, 50L, 210L

PREMIUM TURBO LIFE 15W40

API-CH4

PREMIUM TURBO LIFE 15W40 series are premium quality diesel engine oil formulated using high performance additives and superior quality base stocks to impart necessary properties important for lubricants to perform in heavy-duty diesel engines on or off-highway.

APPLICATIONS:

- Recommended for heavy duty commercial vehicles with turbo & non-turbo charged engines.
- Recommended for use in heavy construction & mining equipments.
- Recommended for use in engines, transmissions, differentials, hydraulics, & compressors requiring the use of high quality engine oil.

BENEFITS:

- Offers advanced fuel economy capability that reduces fuel consumption.
- Excellent chemical stability offers longer drain period.
- Excellent wear performance provides highest level of protection against harmful engine wear.
- Its advanced additive technology provides enhanced level of protection against contamination and reduces maintenance cost.

TURBO LIFE 15W40

API-CF4

TURBO LIFE 15W40 series are very high quality multi grade diesel engine oil, which provide outstanding protection to aspirated and turbo charged high speed diesel engine. It is formulated from high viscosity index base oil and blended with carefully selected anti-oxidant, detergent and anti-wear additives.

APPLICATIONS :

- Used in modern high speed turbocharged or naturally aspirated diesel engines.
- Recommended for use in heavy construction & mining equipments
- Used in on and off-highway heavy duty vehicles.
- Ideally suitable for stop-start functions in agricultural equipments.

BENEFITS:

- Enhances engine life. • Best performance in all weather.
- Reduces maintenance cost. • Longer oil life.
- Excellent resistance to thermal breakdown ensuring engine protection



Packing Available : 500 ml, 1L, 3L, 5L, 6L, 7.5L, 10L, 15L, 20L, 50L, 210L



Packing Available : 500 ml, 1L, 3L, 5L, 6L, 7.5L, 10L, 20L, 50L, 210L

ECO TECH 20W40 M.G. API-CF4

ECO TECH 20W40 M.G. series are superior quality multigrade engine oils formulated considering requirements under the service category of API. This multi grade engine oil is formulated from high viscosity index base oil fortified with special additives which provides the requirement of all new generation engines with exhaust gas recycling.

APPLICATION:

- Petrol - Diesel, Gasoline engines & Power Generator Sets etc.

BENEFITS :

- Easy Starting and Long battery life
- Outstanding performance in all weather
- Reduces maintenance cost
- Protects and increases engine life
- Fuel economy and Low oil Top-up

PASSENGER CAR OIL



PREMIUM GASOTECH 20W50

API-SG/CD

PREMIUM GASOTECH 20W50 ENGINE OIL for use in Petrol & diesel Engines of new generation passenger cars. Suitable for use in naturally aspirated & turbo charged engines operating under severe conditions. Formulated from selected additives to provide superior oxidation, nitration resistance, excellent detergent & dispersant. Outstanding control on deposits wears and enhanced engine life.

APPLICATION :

CNG, LPG, Petrol and Diesel Engine Vehicles, i.e. Cars, Taxi, Jeeps, Vans, RTVS and Three Wheelers.

BENEFITS :

- Easy Starting and long battery life.
- Outstanding performance in all weather.
- Reduce maintenance cost.
- Protects and increase engine life.
- Fuel economy and Low oil top-up.



Packing Available : 500 ml, 1L, 3L, 3.5L, 5L, 6L, 7.5L, 20L, 50L, 210L



Packing Available : 500 ml, 1L, 3L, 3.5L, 5L, 6L, 7.5L, 50L, 210L

PREMIUM TURBO CRUIZE 15W40

API-CH4

PREMIUM TURBO CRUIZE 15W40 series are premium quality diesel engine oil formulated using high performance additives and superior quality base stocks to impart necessary properties important for lubricants to perform in new generation models of passenger cars powered with latest technology diesel engines.

APPLICATIONS :

- Recommended for vehicles with turbo & non-turbo charged engines.
- Recommended for use in heavy construction & mining equipments.
- Recommended for use in engines, transmissions, differentials, hydraulics & compressors requiring the use of high quality engine oil.

BENEFITS :

- Offers advanced fuel economy capability that reduces fuel consumption.
- Excellent wear performance provides highest level of protection against harmful engine wear.
- Its advanced additive technology provides enhanced level of protection against contamination and reduces maintenance cost.
- Excellent chemical stability offers longer drain period.

SYNTHO-TECH 5W30

API-SM/CF

SYNTHO-TECH 5W30 is semi synthetic engine oil developed for new generation passenger cars powered with petrol or diesel engines. Specially blended from semi synthetic base oil & performance proven additives to exceed the specified performance level. It is all season and environment friendly multigrade engine oil.

APPLICATION:

- Recommended for new generation CARS/ SUVs/ LUVS/ MUVS

BENEFITS :

- Easy Starting and Long battery life.
- Outstanding performance in all weather.
- Reduce maintenance cost.
- Protects and increase engine life.
- Fuel economy and Low oil top-up.



Packing Available : 500 ml, 1L, 3L, 3.5L, 5L, 6L, 7.5L, 50L, 210L



Packing Available : 500 ml, 1L, 3L, 3.5L, 5L, 6L, 7.5L, 50L, 210L

SYNTHO-TECH 10W40

API-SM/CF

SYNTHO-TECH 10W40 is semi synthetic engine oil developed for new generation passenger cars powered with petrol or diesel engines. Specially blended from semi synthetic base oil & performance proven additives to exceed the specified performance level. It is all season and environment friendly multigrade engine oil.

APPLICATION:

- Recommended for new generation CARS/ SUVs/ LUVS/ MUVS

BENEFITS :

- Easy Starting and Long battery life.
- Outstanding performance in all weather.
- Reduce maintenance cost.
- Protects and increase engine life.
- Fuel economy and Low oil top-up.



TRANS TRACTO (UTTO)

API-GL4

Trans Tracto [UTTO] universal tractor Transmission oil is used in most modern industrial and tractor transmission, final drives and hydraulic systems including wet break and power take off. It can also be used in transmission functions of off-highway equipments, construction & quarrying equipments that require API GL-4 oil except hypoid gear design.

APPLICATIONS:

- Suitable for all new generation tractors having oil immersed brakes.
- Recommended for use in heavy construction & mining & agricultural equipments
- Used in on and off-highway heavy duty vehicles.
- Ideally suitable for stop-start functions in agricultural equipments.

BENEFITS:

- Best performance in all weather.
- Reduces maintenance cost.
- Longer oil life.
- Excellent resistance to thermal breakdown ensuring engine protection



Packing Available : 500 ml, 1L, 5L, 6L, 7.5L, 10L, 20L, 50L, 210L



Packing Available : 1L, 1.5L, 3.5L, 20L, 50L, 210L

KRISHI PSO 20W40

API-CC

KRISHI PSO 20W40 Multigrade is a pump set oil suitable for naturally aspirated diesel and petrol engines operating under moderate service conditions. It is recommended for use in agricultural diesel pumps, light duty genset, thresher and crushers. Manufactured from superior quality base stocks with special anti-rust and anti-corrosion additives to provide corrosion protection to engine during idle period.

APPLICATION:

- Suitable for all new generation pumpsets working under moderate service conditions.
- Recommended for use in diesel pumps, light duty gensets, thresher and crushers.
- Ideally suitable for stop-start functions in agricultural equipments.

BENEFITS:

- Clean engine with lesser deposits
- Longer oil life.
- Reduces maintenance cost.
- Best performance in all weather.
- Good anti oxidation properties and anti-wear properties.

STAR TRACTO 20W40

API-CF4/SG

STAR TRACTO 20W40 is Multigrade diesel engine oil for use in TRACTORS and other Farm Equipments. Suitable for use in both naturally aspirated and turbo charged Diesel Engines operating under severe service conditions. Formulated to extend engine life and prevent carbon built-up in engines thereby reducing maintenance cost.

APPLICATIONS:

- Used in modern high speed turbocharged or naturally aspirated diesel engines.
- Recommended for use in heavy construction & mining & agricultural equipments
- Used in on and off-highway heavy duty vehicles.
- Ideally suitable for stop-start functions in agricultural equipments.

BENEFITS:

- Enhances engine life.
- Best performance in all weather.
- Reduces maintenance cost.
- Longer oil life.
- Excellent resistance to thermal breakdown ensuring engine protection



Packing Available : 1L, 6L, 7.5L, 10L, 20L, 50L, 210L



Packing Available : 1L, 6L, 7.5L, 10L, 20L, 50L, 210L

PRIME TRACTO 15W40

API-CF4/SG

PRIME TRACTO 15W40 is Multigrade diesel engine oil for use in TRACTORS and other Farm Equipments. Suitable for use in both naturally aspirated and turbo charged Diesel Engines operating under severe service conditions. Formulated to extend engine life and prevent carbon built-up in engines thereby reducing maintenance cost.

APPLICATIONS:

- Used in modern high speed turbocharged or naturally aspirated diesel engines.
- Recommended for use in heavy construction mining & agricultural equipments
- Used in on and off-highway heavy duty vehicles.
- Ideally suitable for stop-start functions in agricultural equipments.

BENEFITS:

- Enhances engine life.
- Best performance in all weather.
- Reduces maintenance cost.
- Longer oil life.
- Excellent resistance to thermal breakdown ensuring engine protection

THREE WHEELER OIL



G-TECH 20W50

API-SF/CD

G-TECH 20W50 is GAS engine oil developed for Autorikshaws, Three Wheelers, LCVs, Taxis and small delivery vans operating on CNG, LPG, and Petrol & Diesel Fuels. Suitable for steady motoring and slow moving dense traffic conditions. Formulated to extend engine life and prevents carbon built-up in engines thereby reducing maintenance cost.

APPLICATIONS:

- Used in modern CNG, LPG, Petrol and Diesel Engine Vehicles, i.e. Cars, Taxi, Jeeps, Vans, RTVs and Three Wheelers.

BENEFITS:

- Enhances engine life.
- Best performance in all weather.
- Reduces maintenance cost.
- Longer oil life.
- Excellent resistance to thermal breakdown ensuring engine protection



Packing Available : 500 ml, 1L, 3L, 3.5L, 5L, 20L, 50L, 210L

SPEED 2T TWO-STROKE

API-TC JASO FC

SPEED 2T TWO-STROKE oil is formulated from high quality base oil blended with special additives for smooth lubrication, low smoke and easy start of two stroke engine. Suitable for steady motoring and slow moving dense traffic conditions. SPEED 2T oils have lubricity and initial torque requirements same as JASO FC, but far higher detergency, exhaust smoke and exhaust system blocking requirements over JASO FC. Formulated to extend engine life and prevents carbon built-up in engines thereby reducing maintenance cost.

APPLICATIONS:

- Two stroke engine of Two Wheelers and Three Wheelers.

BENEFITS:

- Enhances engine life.
- Best performance in all weather.
- Reduces maintenance cost.
- Longer oil life.
- Excellent resistance to thermal breakdown ensuring engine protection.



Packing Available : 500 ml, 1L, 20L, 50L, 210L

AUTO LIFE 15W40

API-CF4

AUTO LIFE 15W40 is modern, multigrade engine oil developed for Auto Rickshaw and small delivery vans operating on Petrol & Diesel Fuels. Suitable for steady motoring and slow moving dense traffic conditions. Formulated to extend engine life and prevents carbon built-up in engines thereby reducing maintenance cost.

APPLICATIONS:

- Used in modern high speed Petrol & turbocharged or naturally aspirated diesel engines.
- Recommended for use in Auto Rickshaw & Small Delivery Vans.

BENEFITS:

- Enhances engine life.
- Best performance in all weather.
- Reduces maintenance cost.
- Longer oil life.
- Excellent resistance to thermal breakdown ensuring engine protection



Packing Available : 500 ml, 1L, 3L, 3.5L, 5L, 50L, 210L

FRONT FORK OIL

FRONT FORK OIL is a premium blend, specially formulated to provide superior performance in motorcycle front forks & shock absorbers. Suitable for both on-road and off-road usage. It provides excellent protection against oxidation, corrosion, foaming and wear.

APPLICATIONS:

- Recommended for all the shock absorbers and front forks in all high performance motorcycles.

BENEFITS:

- Excellent Seal Compatibility
- Superior damping and high temperature performance
- Increases the life of forks
- Always change complete oil.
DO NOT TOP IT UP.



Packing Available : 175 ml, 350 ml,

TWO WHEELER OIL



ZOOM X 4T+ 10W30 API-SL /JASO MA2

ZOOM X 4T+ 10W30 series are premium quality 4 stroke engine oils specially developed for the demands of advanced high performance air cooled modern 4 stroke motorcycles. These oils are formulated with superior quality and high viscosity indexed base stocks and performance proven additives to provide excellent protection to engine, gearbox and wet clutches used in 4 stroke motorcycles. Zoom X 4T+ 10W30 series of lubricants meet the requirements of API SL and JASO MA2 for 4 stroke motorcycles.

APPLICATIONS:

- Recommended for all the latest high performance air cooled 4-stroke motor cycles.

BENEFITS:

- Excellent thermo-oxidative stability. • Very good anti-wear protection.
- Optimized frictional properties eliminate wet slippage. • Provides very good mileage.
- Maintenance of proper viscosity even under high temperature and high shear environment due to excellent shear stability.
- Excellent control on piston deposits provide faster heat dissipation and longer engine life.



Packing Available : 800 ml, 900 ml, 1L, 1200ml, 20L, 50L, 210L



Packing Available : 900 ml, 1L, 1200ml, 20L, 50L, 210L

ZOOM SYNTH 4T+ 20W40/10W40 API-SM/JASO MA2

ZOOM SYNTH 4T+ 20W40/10W40 series are premium quality Semi Synthetic 4 stroke engine oils specially developed for the demands of advanced high performance air cooled modern 4 stroke motorcycles. These oils are formulated with superior quality and high viscosity indexed base stocks and performance proven additives to provide excellent protection to engine, gearbox and wet clutches used in 4 stroke motorcycles. Zoom X Synth 4T+ 20W40/10W40 series of lubricants meet the requirements of API SM and JASO MA2 for 4 stroke motorcycles.

APPLICATIONS:

- Recommended for all the latest high performance air cooled 4-stroke motor cycles.

BENEFITS:

- Excellent thermo-oxidative stability.
- Very good anti-wear protection. • Provides very good mileage.
- Optimized frictional properties eliminate wet slippage.
- Maintenance of proper viscosity even under high temperature and high shear environment due to excellent shear stability.
- Excellent control on piston deposits provide faster heat dissipation and longer engine life.

ZOOM X 4T+ 20W40/ 20W50 API-SL /JASO MA2

ZOOM X 4T+ 20W40/ 20W50 series are premium quality 4stroke engine oils specially developed for the demands of advanced high performance air cooled modern 4 stroke motorcycles. These oils are formulated with superior quality and high viscosity indexed base stocks and performance proven additives to provide excellent protection to engine, gearbox and wet clutches used in 4 stroke motorcycles. Zoom X 4T+ 20W40 / 20W50 series of lubricants meet the requirements of API SL and JASO MA2 for 4 stroke motorcycles.

APPLICATIONS:

- Recommended for all the latest high performance air cooled 4-stroke motor cycles.

BENEFITS:

- Excellent thermo-oxidative stability.
- Very good anti-wear protection. • Provides very good mileage.
- Optimized frictional properties eliminate wet slippage.
- Maintenance of proper viscosity even under high temperature and high shear environment due to excellent shear stability.
- Excellent control on piston deposits provide faster heat dissipation and longer engine life.



Packing Available : 800ml, 900 ml, 1L, 1200ml, 20L, 50L, 210L



Packing Available : 900 ml, 900 ml, 1L, 1200ml, 20L, 50L, 210L

SPEED 4T+ 20W40 API-SJ /JASO MA2

SPEED 4T+ 20W40 series are superior quality 4stroke engine oils specially developed for the demands of advanced high performance air cooled modern 4 stroke motorcycles. These oils are formulated with superior quality and high viscosity indexed base stocks and performance proven additives to provide excellent protection to engine, gearbox and wet clutches used in 4 stroke motorcycles. SPEED X 4T+ 20W40 series of lubricants meet the requirements of API SJ and JASO MA2 for 4 stroke motorcycles.

APPLICATIONS:

- Recommended for all the latest high performance air cooled 4-stroke motor cycles.

BENEFITS:

- Excellent thermo-oxidative stability.
- Very good anti-wear protection. • Provides very good mileage.
- Optimized frictional properties eliminate wet slippage.
- Maintenance of proper viscosity even under high temperature and high shear environment due to excellent shear stability.
- Excellent control on piston deposits provide faster heat dissipation and longer engine life.

GEAR & TRANSMISSION OIL



GEAR OIL EP 90/140

API-GL4

GEAR OIL EP 90/140 is extreme pressure gear oil designed to provide effective lubrication in wide range of automotive transmission and axel drives. Gear box oil of this type are recommended for use in synchromesh and non-synchromesh manual gearboxes, power units for building machinery, agricultural machinery, tractors and axel drives exposed to normal stresses. Suitable in passenger cars, vans, light commercial vehicles, buses, tractors, construction equipments.

APPLICATIONS :

- Recommended for use in Hypoid Spiral, Bevel or worm Gear Transmission systems of all type of Vehicle where requiring EP type Lubricants.

BENEFITS:

- Excellent thermal and chemical stability.
- Longer trouble free operations.
- Protection against rust and corrosion
- Excellent shear compatibility.
- Reduces wear at start-up and helps in shifting at low ambient temperature.



Packing Available : 500 ml, 1L, 5L, 10L, 20L, 50L, 210L

GEAR OIL EP-X 80W90 / 85W140

API-GL5

GEAR OIL EP-X 80W90 / 85W140 are premium multigrade gear lubricants. These are formulated from excellent quality based stocks and performance proven extreme pressure additives to provide protection to gear components against wear, scoring, oxidation and rust.

APPLICATIONS:

- Heavy-duty manual transmission and axel drives.
- On road light and heavy-duty trucks, buses, vans and passenger cars.
- Off-highway equipment in construction, mining and agriculture.

BENEFITS:

- Excellent thermal and chemical stability
- Ensure longer trouble free operations.
- Protection against rust and corrosion
- Excellent shear compatibility.
- Reduces wear at start-up and helps in shifting at low ambient temperature.



Packing Available : 1L, 5L, 10L, 20L, 50L, 210L

GEAR OIL 150 / 220 / 320

API-GL4

GEAR OIL 150 / 220 / 320 is a series of highest quality gear oils with extreme pressure properties specially designed for heavy duty applications. They are blended with superior quality base stocks and selected additives like anti-oxidation, anti-wear and anti-foam. These gear oils are formulated considering the requirements of heavy-duty gear boxes.

APPLICATIONS:

- It is used in a wide range of industrial and marine applications, especially spur, helical, bevel and worm gearing under heavy loaded conditions. It can also be used in non-gear applications, including shaft couplings, screws and heavily loaded plain and rolling contact bearings operating at slow speed.

BENEFITS:

- Excellent extreme pressure properties.
- Excellent high temperature stability.
- Ensure longer trouble free operations and service life.
- Protection against rust and corrosion.
- Reduces sludge and deposit formation.
- Good water separation characteristics makes these gear oils an excellent choice for use in gear lubrication systems where high water ingress is encountered.



Packing Available : 5L, 10L, 20L, 50L, 210L

AUTOMATIC TRANSMISSION FLUID

GM TYPE A

ATF TQ is high quality "Auto Transmission Fluids". These are formulated from hydro-finished base stocks and performance additives to provide the most important characteristics of auto transmission fluid like low static friction, seal compatibility, excellent oxidation stability and controlled foaming characteristics.

APPLICATIONS:

- Use in Automatic Transmissions, Power Steering units, Synchromesh gear boxes of all types of vehicles.

BENEFITS:

- Excellent oxidation stability.
- Exhibits very good seal compatibility.
- Smooth operation even in low ambient temperatures.
- Longer life.



Packing Available : 500 ml, 1L, 5L, 10L, 20L, 50L, 210L

HYDRAULIC OIL



HYDRO-SYS 32

API-AW

HYDRO-SYS 32 are a range of superior quality anti-wear type hydraulic oils blended from high quality based stocks and selected additives Fortified with anti-oxidant, anti-corrosion, anti-wear and anti-foam properties formulated primarily as heavy-duty, anti-wear hydraulic oils with excellent water separating characteristics.

APPLICATIONS:

- Recommended for use in most modern Hydraulic control system, Earth moving equipments and Industrial equipments.

BENEFITS:

- Excellent Anti-wear protection and longer life to moving parts.
- Excellent Oxidation and thermal stability.
- Superior corrosion protection.
- Excellent air & water separation characteristics.



Packing Available : 1L, 5L, 10L,
20L, 50L, 210L



Packing Available : 1L, 5L, 10L,
20L, 50L, 210L

HYDRO-SYS 46

API-AW

HYDRO-SYS 46 are a range of superior quality anti-wear type hydraulic oils blended from high quality based stocks and selected additives Fortified with anti-oxidant, anti-corrosion, anti-wear and anti-foam properties formulated primarily as heavy-duty, anti-wear hydraulic oils with excellent water separating characteristics.

APPLICATIONS:

- Recommended for use in most modern Hydraulic control system, Earth moving equipments and Industrial equipments.

BENEFITS:

- Excellent Anti-wear protection and longer life to moving parts.
- Excellent Oxidation and thermal stability.
- Superior corrosion protection.
- Excellent air & water separation characteristics.

HYDRO-SYS 68

API-AW

HYDRO-SYS 68 are a range of superior quality anti-wear type hydraulic oils blended from high quality based stocks and selected additives Fortified with anti-oxidant, anti-corrosion, anti-wear and anti-foam properties formulated primarily as heavy-duty, anti-wear hydraulic oils with excellent water separating characteristics.

APPLICATIONS:

- Recommended for use in most modern Hydraulic control system, Earth moving equipments and Industrial equipments.

BENEFITS:

- Excellent Anti-wear protection and longer life to moving parts.
- Excellent Oxidation and thermal stability.
- Superior corrosion protection.
- Excellent air & water separation characteristics.



Packing Available : 1L, 5L, 10L,
20L, 50L, 210L



Packing Available : 10L, 20L, 50L, 210L

HYDRO-SYS 150/220/320

API-AW

HYDRO-SYS 150/220/320 are a range of superior quality anti-wear type hydraulic oils blended from high quality based stocks and selected additives Fortified with anti-oxidant, anti-corrosion, anti-wear and anti-foam properties formulated primarily as heavy-duty, anti-wear hydraulic oils with excellent water separating characteristics.

APPLICATIONS:

- Recommended for use in most modern Hydraulic control system, Earth moving equipments and Industrial equipments.

BENEFITS:

- Excellent Anti-wear protection and longer life to moving parts.
- Excellent Oxidation and thermal stability.
- Superior corrosion protection.
- Excellent air & water separation characteristics.

GREASES

DYNAMIC AP-3 GREASE

NLGI-3

DYNAMIC AP-3 GREASE are multi functional lithium-based grease with extreme pressure [EP] properties for Automotive, Industrial & Marine use, Manufactured from high quality mineral oils & special additives. This grease ensures maximum protection for wheel bearings, suspensions systems, universal joints, steering linkages & chassis. It also has excellent water resistance designed to withstand heavy loads.

APPLICATIONS:

- These greases have a wide application in every field.
- Used in wheel bearings, hubs and universal joints of passenger buses, trucks, cars and industries.
- Used in anti-friction automotive bearings and electric motor bearings.
- Used in steel plants, heavy engineering units, paper mills, textile mills, jute mills fertilizer plants, petrochemical plants and chemical units.

BENEFITS:

- Excellent water resistance properties.
- High oxidation stability and anti corrosion properties.
- Good thermal and structural stability.
- Easy pumpable even in cold weather & ideal centralised grease systems.
- Very good mechanical stability ensuring long life and low deterioration.



Packing Available : 100g, 200g, 500g, 1 kg, 2kg, 3kg, 5 kg, 18kg & 180kg.



Packing Available : 500g, 1 kg, 2kg, 3kg, 5 kg, 18kg & 180kg.

XTRAMILE APLR 30000 GREASE

NLGI-3

XTRAMILE APLR 30000 Grease is high performance superior sheer resistance grease, hence has better structural & mechanical stability. This grease has service life of more than 30,000 kilometers in automotive bearing application in proper circumstances. This grease is also recommended for roller bearings in axle boxes.

APPLICATIONS :

- These greases have a wide application in every field.
- Recommended for use in Wheel Bearing of Heavy Duty Automotive vehicles for long haul applications. It is also suitable for use in anti-friction bearings of household durables, specially packed for extended periods or long life applications.
- The structural capability of the grease finds its application in Roller Bearings of Axle Boxes of Railways wagons also.

BENEFITS :

- Higher drop point than conventional lithium grease.
- Greater lubrication capability.
- Very high service life.
- Superior mechanical stability.
- Excellent water repellent capabilities.
- Higher corrosion protective capabilities.
- More than three times life in comparison to conventional lithium base All Purpose Grease.

CALCY MP3 GREASE

GP-3

CALCY MP3 GREASE is a multi functional Calcium grease with general purpose properties for automotive, industrial & marine use. Manufactured from superior quality mineral oils and additives. This grease ensures maximum protection

APPLICATIONS:

- Calcy is a premium quality calcium based all purpose grease suitable for chain and roller bearings, joints, chassis application steering parts of automobiles and all types of frame in industrial machinery.

BENEFITS:

- Excellent water resistance properties .
- Anti- Rust and Anti- Corrosive properties (below 70°C)
- These grease acts as a protective layer on exposed parts.



Packing Available : 500g, 1 kg, 2kg, 3kg, 5 kg, 18kg & 180kg.



Packing Available: 100, 200, 500gm, 1kg, 2kg, 3kg, 5kg, 18kg, 180kg.

DYNAMIC AP3 RED GEL GREASE

NLGI-3


DYNAMIC AP-3 RED GEL GREASE are multi-functional lithium-based grease with extreme pressure [EP] properties for Automotive, Industrial & Marine use, Manufactured from high quality mineral oils & special additives. This grease ensures maximum protection for wheel bearings, suspensions systems, universal joints, steering linkages & chassis. It also has excellent water resistance designed to withstand heavy loads.

APPLICATIONS:

- These greases have a wide application in every field.
- Used in Wheel bearings, hubs and universal joints of passenger buses, trucks, cars and industries.
- Used in anti-friction automotive bearings and electric motor bearings.
- Can also be used in steel plants, heavy engineering units, paper mills, textile mills, jute mills, fertilizer plants, petrochemical plants and chemical units.

BENEFITS:

- Excellent water resistance properties.
- High oxidation stability and anti corrosion properties.
- Good thermal and structural stability
- Easy pump-able even in cold weather & ideal centralized grease systems.
- Very good mechanical stability ensuring long life and low deterioration.



READY RECKONER



GENSET & CONSTRUCTION

ENGINE OILS	GEAR OILS
TURBO LIFE 15W40 API CF4	GEAR EP - 90 -GL4
PRIME TRACTO 15W40 API CF4	GEAR EP -140 - GL4
STAR TRACTO 20W40 API CF4	
ECO TECH 20W40 API CF4	
GREASES	
DYNAMIC AP3 (RED GEL) NLGI 3	
CALCY MP3 GREASE (GP 3)	
DYNAMIC AP3 NLGI 3	

EARTH MOVING & MINING

TRANSMISSION OILS	GEAR OILS
TRANS TRACTO UTTO GL4	GEAR EP - 90 -GL4
	GEAR EP -140 - GL4
TRANS TECH 10W SAE 10W - API CD	GEAR OIL EP-X 80W90 - GL5
	GEAR OIL EP-X 85W140 GL5
GREASES	HYDRAULIC OIL
EP 2 (EP TYPE)	HYDRO SYS AW (32150)
DYNAMIC AP3 (RED GEL)	HYDRO SYS HLP (32-150)
CALCY MP3 GREASE (GP 3)	
CHASIS (PROPRIETARY)	HYDRO SYS HVI
DYNAMIC AP3 (RED GEL) NLGI 3	
XTRA MILE APLR 35000 NLGI 3	

THREE WHEELER

ENGINE OILS	GEAR OILS
DIESEL	GEAR EP - 90 -GL4
AUTO LIFE 15W40 CF4	GEAR EP -140 - GL4
GAS (P&G) CNG/LPG	
G -TECH 20W50 SF/CD	
2 STROKE	
SPEED 2T JASO TC/FC	
PREMIUM GAS	
PREMIUM GASO TECH 20W50 SG/CD	
GREASES	
XTRA MILE APLR 35000 NLGI 3	
DYNAMIC AP3 (RED GEL) NLGI 3	
CALCY MP3 GREASE (GP 3)	

AGRICULTURE

ENGINE OILS	GEAR OILS
KRISHI PSO 20W40 API CC	GEAR EP - 90 -GL4
	GEAR EP -140 - GL4
ECO TECH 20W40 API CF4	
STAR TRACTO 20W40 API CF4	
GREASES	
DYNAMIC AP3 (RED GEL) NLGI 3	
CALCY MP3 GREASE (GP 3)	

COMMERCIAL VEHICLES

ENGINE OILS	GEAR OILS
PREMIUM TURBO X 15W40 - C14+	GEAR EP - 90 -GL4
	GEAR EP -140 - GL4
PREMIUM TURBO LIFE 15W40 -CH4	GEAR OIL EP-X 80W90 - GL5
ECO TECH 20W40 - CF4	GEAR OIL EP-X 85W140 GL5
GREASES	POWER STEERING OIL
EP 2 (EP TYPE)	
CALCY MP3 GREASE (GP 3)	
W B GREASE	
DYNAMIC AP3 NLGI 3	
CHASIS (PROPRIETARY)	
DYNAMIC AP3 (RED GEL) NLGI 3	ATF TQ GM TYPE A
XTRA MILE APLR 35000 NLGI 3	

PASASNGER VEHICLES

ENGINE OILS	GEAR OILS
DIESEL	GEAR EP - 90 -GL4
PREMIUM TURBO CRUIZE 15W40 CH4	GEAR EP -140 - GL4
GAS (Petrol & Gas)	GEAR OIL EP-X 80W90 - GL5
PREMIUM GASO TECH 20W50 SG/CD	
SYNTHETIC (P & G)	
SYNTHOTECH 5W30 SM/CF	
SYNTHOTECH 10W40 SM/CF	
GREASES	POWER STEERING OIL
DYNAMIC AP3 (RED GEL)	
CALCY MP3 GREASE (GP 3)	
DYNAMIC AP3 NLGI 3	
CHASIS (PROPRIETARY)	ATF TQ GM TYPE A
XTRA MILE APLR 35000 NLGI 3	

TRACTOR

ENGINE OILS	GEAR OILS
PRIME TRACTO 15W40 CF4	GEAR EP - 90 -GL4
	GEAR EP -140 - GL4
STAR TRACTO 20W40 CF4	GEAR OIL EP-X 80W90 - GL5
	GEAR OIL EP-X 85W140 GL5
GREASES	TRANSMISSION OIL
DYNAMIC AP3 (RED GEL) NLGI 3	
CALCY MP3 GREASE (GP 3)	
XTRA MILE APLR 35000 NLGI 3	
DYNAMIC AP3 NLGI 3	TRANS TRACTO UTTO GL4
CHASIS GREASE (PROPRIETARY)	

TWO WHEELER

ENGINE OILS	FORK OILS
SPEED 4T PLUS 20W40 - API SJ	FRONT FORK OIL (PROPRIETARY)
PREMIUM GRADE	
ZOOM -X 4T PLUS 20W40 - API SL	
ZOOM -X 4T PLUS 20W50 - API SL	
ZOOM -X 4T PLUS 10W30 - API SL	
SYNTHETIC OIL	
ZOOM SYNTH 4T PLUS 20W40 - API SM	
GREASES	
DYNAMIC AP 3 (RED GEL) NLGI 3	
CALCY MP3 GREASE (GP 3)	





AUTOMOTIVE OIL

DEALER / DISTRIBUTOR



Mfg & Mktd. By :
TECHOL LUBRICANTS & SPECIALTIES PVT. LTD.
CTS 137 B1/1402, Gawanpada, Mumbai - 400081.
Customer Care No : 09324753159

www.techollubricants.com